

(conforms to 91/155/EEC)

Commercial product name: Paint Marker, Medium

Product No: PMK-B

Date: Jan., 24, 2001

Date of revision: Nov., 5, 2008

Producer/supplier: Sakura Color Products Corp.(Producer) / Bruynzeel Sakura bv (supplier)

1 Identification of the substance / preparation and of the company / undertaking**1.1 Identification of the substance or preparation:**

Trade name: Paint Marker, Medium

Article number: PMK-B

Color : Black, Red, Sky Blue, Violet, Yellow Green, Green, F. Yellow, F. Pink, White (9 Colors)

1.2 Use of the substance/preparation:

Solvent based marker

1.3 Company/undertaking identification:

Bruynzeel Sakura bv

Potlodenlaan 3, Postbus 110, 4600 AC Bergen op Zoom, Netherlands

Tel: 31-164-21-4478

Fax: 31-164-21-4479

1.4 Emergency Telephone (Sakura Color Products Corp.[Japan])

Tel: 81-(0)6-6910-8824

Fax: 81-(0)6-6910-8834

2 Composition / information on ingredients for Ink

·Description: ○ substance ● preparation

·Dangerous components:

EINECS No	CAS No.	Designation	%	Index	R-phrase
215-535-7	1330-20-7	Xylene	0-67	Xn	R10, R20/ 21, R38
203-539-1	107-98-2	1-Methoxy-2-propanol	0-60	-	R10

Mixture of the substances listed above with harmful additions.

3 Hazards identification for Ink

·Hazard designation : Xn harmful, Flammable

Harmful by inhalation and in contact with skin. Irritating to skin. Flammable

4 First-aid measures

·Inhalation: If he/she has subjective and objective symptoms, move him/her to a place fresh air, and consult a doctor.

·Eye: Wash the eyes immediately with large amounts of running water for over 15 minutes, and see a doctor for medical advice.

·Ingestion: Immediately consult a doctor.

·Skin: Wash with soap and water.

(conforms to 91/155/EEC)

Commercial product name: Paint Marker, Medium

Product No: PMK-B

Date: Jan., 24, 2001

Date of revision: Nov., 5, 2008

Producer/supplier: Sakura Color Products Corp.(Producer) / Bruynzeel Sakura bv (supplier)

5 Fire-fighting measures

- Suitable extinguishing media: In case of fire, use water spray, foam or dry chemical powder.
- For safety reasons unsuitable extinguishing media: None
- Protective equipment: No special measures required

6 Accidental release measure

- Person-related safety precautions: Removal of ignition source
Provision of sufficient ventilation/ respiratory protection
- Measures for environmental protection: No relevant information found.
- Measures for cleaning/collecting: Wipe with cloth.

7 Handling and storage**7.1 Handling**

- Information for safe handling: Keep ventilate while using.
- Information about protection against explosions and fires: Keep ignition sources away.

7.2 Storage:

- Requirements to be met by storerooms and containers:
- Materials to Avoid - High temperature, Fire, Direct rays of the sun, and A Powerful oxidizing agent

7.3 Specific use(s)

-

8 Exposure controls and personal protection**8.1 Exposure limit values:**

CAS No.	Designation of material	%	OSHA PEL	ACGIH TLV
1330-20-7	Xylene	0-67	TWA 1000ppm	TWA 100ppm, STEL 150ppm
107-98-2	1-Methoxy-2-propanol	0-60	-	TWA 100ppm, STEL 150ppm

8.2 Exposure controls:

- General protective and hygienic measures: Unnecessary in normal use
- Breathing equipment: Unnecessary in normal use
- Protection of hands: Unnecessary in normal use
- Eye protection: Unnecessary in normal use
- Skin protection: Unnecessary in normal use

(conforms to 91/155/EEC)

Commercial product name: Paint Marker, Medium

Product No: PMK-B

Date: Jan., 24, 2001

Date of revision: Nov., 5, 2008

Producer/supplier: Sakura Color Products Corp.(Producer) / Bruynzeel Sakura bv (supplier)

9 Physical and chemical properties for Ink

9.1 General information

appearance:

form: Liquid

color: Same as 1.1(9 colors)

odor: Ether odor (White) / Aromatic odor (Other 8 Colors)

9.2 Important health, safety and environmental information

pH: Not applicable

Boiling point / boiling range: No data

Flash point: 26-31°C

Flammability (solid, gas): Flammable

Explosive properties: None

Oxidising properties: None

Vapour pressure: No data

Solubility:

water solubility: Insoluble

fat solubility (solvent – oil to be specified): Soluble (except pigments)

Partition coefficient: n-octanol /water: No data

Viscosity: No data

Vapour density: No data

relative density: 1 < g/cm³ (at 25°C)

Evaporation rate: No data

9.3 Other information

Melting point: No data

(conforms to 91/155/EEC)

Commercial product name: Paint Marker, Medium

Product No: PMK-B

Date: Jan., 24, 2001

Date of revision: Nov., 5, 2008

Producer/supplier: Sakura Color Products Corp.(Producer) / Bruynzeel Sakura bv (supplier)

10 Stability and reactivity

10.1 Conditions to avoided

High temperature, Direct sunlight, Fire

10.2 Materials to avoided

Strong acid and base

10.3 Hazardous decomposition products

No dangerous decomposition products known

11 Toxicological information

- Acute toxicity: Harmful by inhalation and in contact with skin.
- Chronic toxicity: None
- Primary irritant effect:
 - On the skin: Irritating to skin.
 - On the eye: None
- Sensitization: No sensitizing effect known

12 Ecological information

No relevant information found.

13 Disposal considerations

Incinerate under safe conditions or dispose of in accordance with local regulations.
Don't burn even when empty.

(conforms to 91/155/EEC)

Commercial product name: Paint Marker, Medium

Product No: PMK-B

Date: Jan., 24, 2001

Date of revision: Nov., 5, 2008

Producer/supplier: Sakura Color Products Corp.(Producer) / Bruynzeel Sakura bv (supplier)

14 Transport information

GGVsea/IMDG-Code: Not applicable

Page-No.of IMDG-Code: Not applicable

UN-No.: Not applicable

ICAO/IATA-Code: Not applicable

Packing instructions for air flight: Not applicable

GGVE/GGVS(Germany): Not applicable

RID/ADR(EC): Not applicable

Packing group: Not applicable

EmS-No.(Emergency schedule): Not applicable

MFAG-table no: Not applicable

Marking/label: Not applicable

(conforms to 91/155/EEC)

Commercial product name: Paint Marker, Medium

Product No: PMK-B

Date: Jan., 24, 2001

Date of revision: Nov., 5, 2008

Producer/supplier: Sakura Color Products Corp.(Producer) / Bruynzeel Sakura bv (supplier)

15 Regulatory information for Ink

15.1 Classification, packaging and labeling of dangerous substances and preparations according to EC-Directives.: 1999/45/EC

·Code letter and hazard designation of product: Xn harmful, Flammable

·Risk phrases: Harmful by inhalation and in contact with skin.

Irritating to skin.

Flammable.

·Safety phrase: Keep out of the reach of children.

Avoid contact with skin.

Avoid contact with eyes.

·Product contains: Xylene

15.2 Further information: No relevant information found.

National regulations: No relevant information found.

Marine pollution class: No relevant information found.

16 Other information

< Xylene >

Harmful by inhalation and in contact with skin.

Irritating to skin.

Flammable.

< 1-Methoxy-2-propanol >

Flammable.

* This SDS was changed on the basis of Commission Directive 2001/58/EC.